

MPA Braunschweig, Beethovenstr. 52, 38106 Braunschweig, Germany

Certificate of constancy of performance

0761 – CPR – 0838

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Product Regulation or CPR), this certificate applies to the construction product

**Single leaf and double sliding doors with or without passdoor
with fire resistance and/or smoke control characteristics
with the trade name “EI 120 - NovoSlide“**

classifications:

EI₂ 30 – C, EI₂ 60 – C, EI₂ 90 - C, EI₂ 120 - C, E 120 - C, EW 120 - C

produced by or for

**Novoform GmbH
Schüttensteiner Straße 26
46419 Isselburg-Werth
Germany**

in the manufacturing plants

Brackenheim or Isselburg-Werth (both in Germany).

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standards

EN 16034:2014 in connection with EN 13241:2003+A2:2016

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 21-01-2020 and will remain valid until 20-01-2025, as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the product certification body.

Braunschweig, 21-01-2020

Z-3/1443/17

